



Circuit limiter, low voltage, 400 A, DC 80 V, 2.7 kA, 22.2 x 81 mm, UL



Part no. ANL CURRENT LIMITER FUSE - 400 AMP
Catalog No. ANL-400

Delivery program

| | | | |
|------------------------------|---|----|---|
| Product range | | | Fuse |
| Basic function | | | circuit limiter |
| Field of application | | | low voltage |
| Rated current | I | A | 400 |
| Rated voltage | | | DC 80 V |
| Size | | | 22.2 x 81 mm |
| Breaking Capacity | | kA | 2.7 |
| usable for size/applications | | | fork-lift trucks, marine and other battery-operated systems |
| Standard/Approval | | | UL |
| Optional accessories | | | fuse-block 4164 |

Technical data ETIM 6.0

| | | | |
|--|--|---|-------|
| Circuit breakers and fuses (EG000020) / Low Voltage HRC fuse (EC000055) | | | |
| Electric engineering, automation, process control engineering / Electrical installation, device / Safety fuse inserts / Low-Voltage HRC fuse (ecl@ss8.1-27-14-20-05 [AFZ800012]) | | | |
| Construction size | | | Other |
| Nominal rated current | | A | 400 |
| Nominal rated voltage | | V | 80 |
| Utilization category | | | Other |
| Type of fuse status indicator | | | None |